




# COMPETITIVE PRICE




# DRIVE

DRIVE bench gives the opportunity of quick and easy adjusting to individual needs without compromising on functionality and space. Each work counter has its own individual mechanism which works independently. DRIVE bench can be equipped with fabric panels to divide a work surface for more privacy. Dividing the work surface does not, in any way, reduce the access to the horizontal cable management underneath the work top.





### DRIVE



CTA05 X 2 STRAIGHT DESK WITH ELECTRICT HEIGHT ADJUSTMENT 1800/800/650/1300

ZM618 FABRIC PANEL FOR SINGLE DESK 1800/38/650

ZN13 X 4 DIVISORY FABRIC SIDE PANEL 800/38/650

IKDT13 X 3 PEDESTAL 402/600/586

**A2L06** X 4 TAMBOUR STORAGE 1200/432/740 **S94** X 2 VERTICAL CABLE DUCTIN Ø140/750-1200

**SAVA** CHAIR 660/610/1050-1150

CTA04  $\times$  2 straight desk with electrict height adjustment 1600/800/650/1300 zM616  $\times$  2 fabric panel for single desk 1600/38/650

\$94 X 2 VERTICAL CABLE DUCTIN Ø140/750-1200

IKCD80 CARGO PEDESTAL 402/800/1100

IKDT12 PEDESTAL 402/600/586 **SAVA** CHAIR 660/610/1050-1150









DRIVE is an electric height regulation desks which allows for customized standing and sitting positions and is a great ergonomically solution. The electrical height regulator, located underneath the work surface, simplifies changes in positions depending on one's office needs. Changing position during long working hours increases work effectiveness, productivity and health. To create an intimate climate, DRIVE allows you to add acoustic panels. There are two types of acoustic panels which fit perfectly both horizontally and vertically to the worktop.



# YAN\_Z










### YAN\_Z


Side desk storages for both single desks and benches act as a construction element reducing the need for an additional leg thus maximizing the space underneath the desk. Wide variety of storage solutions allows for a tailor-made office interior.





**BRN01** MANAGERIAL DESK WITH STORAGE 1800/1870/740 **UN16** MFC MODESTY PANEL 1600/18/400 **SAVA** CHAIR 660/610/1050-1150







YAN is a simple yet multi-functional system which blends well into an office space arrangement.

Its' flexibility allows for a quick response to different office work requirements.

Sliding desk tops give easy access to cable management.


Distinctive panel designs enable to build an office of a particular character.

#### YAN Z

YAN has been designed to offer the possibility of combining different components into a multi functional office layout. Tambour or sliding door storages, high or desk level can be used as an end element. Different height and functionality pedestals may act as both dividing or finishing section, individual or team storage.







#### EXAMPLES OF STORAGE ARRANGEMENTS



## YAN\_T









### YAN\_T

YAN managerial storage was designed to optimize and organize the work space. It is a construction element of the desks eliminating the need for additional leg. Thought through storage interior allows to hide a computer box as well as suspension files and personal belongings.



#### EXAMPLES OF STORAGE ARRANGEMENTS










#### YAN T



BRN08R X 2 HEIGHTS ADJUSTABLE DESK S18 X 2 METAL CABLE TRAY

VERTICAL CABLE DUCTIN Ø140/750 S94 **A3504** STORAGE 801/432/1129 A3104HZ X 2 STORAGE WITH HPL FRONT **SAVA** X 2 CHAIR 660/610/1050-1150



YAN not only serves your present day basic needs but provides an answer to growing demands of the future office. YAN offers desks with manual height regulation. When the need arises you can comfortably set and regulate the height to your liking and situation.





# YAN\_M














One of the most important elements in planning your ergonomic office space, is the functionality of your office furniture. YAN system offers a solution for creating workstations using Cargo containers. Cargo fulfills its role not only as a construction element but also as a place to rearrange all of your crucial documents.

This type of arrangement is important in achieving optimal performance.



**BLN06L** EXTENDING ELEMENT 1600/800/740 **S16** METAL CABLE TRAY 1150/162/123 **S87** CPU HOLDER 212/460/660


**KCD80P** CARGO PETESTAL 402/800/1100 **SAVA** CHAIR 660/610/1050-1150



#### EXAMPLES OF CARGO STORAGE ARRANGEMENTS



### YAN\_M



BLN16L EXTENDING ELEMENT 1600/1600/740

KRT73P PEDESTAL 402/800/740
KRT73L PEDESTAL 402/800/740
PL180 EXTENSION 1600/600/28
S16 X 2 METAL CABLE TRAY 1150/162/123

S16 X 2 METAL CABLE TRAY 1150/162/12
ZM16 ACOUSTIC PANEL 1596/38/350
SAVA X 2 CHAIR 660/610/1050-1150





The main attribute of the YAN system is the possibility of easy configuring individual desks and benches in a number of ways.

Desk tops can be supported by metal legs, which come in four shapes to choose from, or different storage solutions.

By enlarging the work area with extending elements, a space for greater interaction can be easily build.

BZB14 WORKTOP-DOUBLE 1400/1600/28
BA2P08 × 2 SLIDING DOOR STORAGE 1600/432/740
S14 × 2 METAL CABLE TRAY 950/162/123
SAVA × 2 CHAIR 660/610/1050-1150



# YAN\_C










#### YAN C

YAN promotes simplicity combined with a great variety and choice. Apart from many different styled panels, legs and storages there are different solutions for cable management.


Combine vertical and horizontal cable organizer options to create a hassle free workspace environment.

Each solution is universal for different YAN styles.





# YAN\_C



 BUN22R
 STRAIGHT DESK 1800/800/740

 M04
 MEDIABOX 4X230V; 2XRJ45; 1XUSB


 S18
 METAL CABLE TRAY 1350/162/123

 UN16
 MFC MODESTY PANEL 1600/18/400

 ZS01
 SLIDING DOOR STORAGE 2000/432/1129

**CAN11** CANOE LAMP 1105/360/360 **SAVA** CHAIR 660/610/1050-1150






**TABLE** Ø1200/730 **ZW818** X 3 FREE-STANDING PANEL **GAYA** X 5 CHAIR 660/510/825









BUN24S TABLE 1300/1400/740
BUN24L TABLE 1300/1400/740
M04 MEDIABOX 4X230V; 2XRJ45; 1XUSB

## MEDIABOX 4X230V; ZXRJ45; 1XUSB
## BUN24P
## TABLE 1300/1400/740
## MEDIABOX 4X230V; ZXRJ45; 1XUSB
## MEDI




# YAN\_PANELS

YAN panels present different styles to suit individual needs. Functionality of panels together with the diversity of design and characteristic patterns give you customized work area in a new look.






CITY PANELS



ZIG-ZAG PANELS







# YAN\_PANELS




SONIC PANELS h350 mm




SONIC PANELS h650-800 mm











### YAN ELEMENTS


YAN presents a large variety of ways in which a desk top can be supported. These include four different shapes of legs, and several storage options. It allows for creating simple yet functional work areas.





## YAN ELEMENTS

- QUICK AND EASY ASSEMBLY SYSTEM
- SLIDING DESK TOPS: DIRECT AND EASY CABLE MANAGEMENT ASCCESS
- VERSATILE AND SMART
- HEIGHT ADJUSTABLE: MANUAL AND ELECTRIC OPTIONS





#### CABLE MANAGEMENT



VERTICAL CABLE HITCH S93 CPU HOLDER S83



VERTICAL CABLE DUCTING S94 FOR HEIGHT ADJUSTABLE DESKS



VERTICAL CABLE DUCTING S81 TOP ACCESS M05

M04 – the product has been developed with several solutions to guarantee an easy, in-built arrangement of all wires required for electricity, telephone and data transfer




MEDIABOX M04: 2XRJ45, 1XUSB, 4X230V





HORIZONTAL METAL CABLE TRAY

- DIFFERENT LENGTHS
- UNIVERSAL FOR INDIVIDUAL DESK OR BENCH SOLUTIONS



#### SAVA

SAVA is a fusion of class and originality. The customized chair mechanisms allow for the adjustment to one's personal taste and posture.

Its rich palette of fabrics, and bold colors is an asset in creating a modern office.



#### GAYA

This is the ideal popular chair utilized in conference rooms, waiting rooms, reception areas and entrance halls. There are two types of chrome bases available: a 4 legged base or a sleigh runner. They are easily stackable.













BLN06 1200-800-740 1600-800-740 BLN08 BLN04 1400-800-740 1800-800-740



BLN02L BLN06L 1200-800-740 1600-800-740 BLN04L BLN08L 1400-800-740 1800-800-740



BLN01 BLN05 1600-1870-740 **BLN03** 1600-3740-740 BLN07 1800-1870-740 1800-3740-740



BLN12 BLN16 1200-1600-740 1600-1600-740 BLN14 BLN18 1400-1600-740 1800-1600-740



BLN12L BLN16L 1200-1600-740 1600-1600-740 BLN14L BLN18L 1400-1600-740 1800-1600-740



PL180 1600-600-28



1200-800-740 1600-800-740 ZBN04 ZBN08 1400-800-740 1800-800-740



1200-800-740 1600-800-740 ZBN04L ZBN08L 1400-800-740 1800-800-740



1600-1870-740 ZBN03 1800-1870-740



1600-3740-740 ZBN07 1800-3740-740



1200-1600-740 1600-1600-740 ZBN14 ZBN18 1400-1600-740 1800-1600-740



1200-1600-740 1600-1600-740 ZBN14L ZBN18L 1400-1600-740 1800-1600-740




PL180 1600-600-28



BRN02 BRN06 1200-800-740 1600-800-740 BRN08 1400-800-740 1800-800-740



BRN02L BRN06I 1200-800-740 1600-800-740 BRN04L BRN08L 1400-800-740 1800-800-740



BRN01 1600-1870-740 BRN03 1800-1870-740



BRN02R BRN06R 1200-800-640/840 1600-800-640/840 BRN04R 1400-800-640/840 1800-800-640/840



BUN19 BUN21 1200-800-740 1600-800-740 BUN20 BUN22 1400-800-740 1800-800-740



BUN19R BUN21R 1200-800-640/840 1600-800-640/840 BUN20R BUN22R 1400-800-640/840 1800-800-640/840



BUN02L BUN06L 1200-800-740 1600-800-740 BUN04L BUN08L 1400-800-740 1800-800-740




BUN12 BUN16 1200-1600-740 1600-1600-740 BUN14 BUN18 1400-1600-740 1800-1600-740



BUN12L BUN16L 1200-1600-740 1600-1600-740 BUN14L BUN18L 1400-1600-740 1800-1600-740



PL180 1600-600-28



BUN03 BUN01 1600-1870-740 1800-1870-740



BUN05 BUN07 1600-3740-740 1800-3740-740



CTA20 CTA40 1200-1690-650/1300 1600-1690-650/1300 CTA30 CTA50 1400-1690-650/1300 1800-1690-650/1300



CTA02 CTA04 1200-800-650/1300 1600-800-650/1300 CTA03 CTA05 1400-800-650/1300 1800-800-650/1300



ZD812 ZD816 1196-40-800 1596-40-800 ZD814 ZD818 1396-40-800 1794-40-800



IKRT12 402-600-586

KCD80P



IKRT13 402-600-586



402-600-740

KRT74P

IKRT64 402-600-740



IKDT12 402-600-586



IKDT13 402-600-586



IKDT63 402-600-740



402-600-740



KCD80LP KCD80L 402-800-1100 402-800-1100 402-800-1100



KRT74LP KRT74L

DR



KRT73P KRT73LP KRT73L 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740



KDT74P KDT74LP KDT74L



KDT73P KDT73LP KDT73L 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740 402-800-740












1600-800-83

BZB08

1800-800-83

1200-800-83

BZB04



1800-1600-83

1400-1600-83



UN10 **UN14** 1000-18-400 1400-18-400 UN12 UN16 1200-18-400 1600-18-400



ZP10 1190-26-350 1590-26-350 ZP20 ZP40 1390-26-350 1790-26-350



ZT1

1170-47-360

ZT2

1370-47-360

1570-47-560 ZT4

1770-47-560



ZT6

1770-47-560

ZM11 1570-47-560 800-40-350



ZM16 1190-40-350 1590-40-350 ZM14 ZM18 1390-40-350 1790-40-350



7M812 1200-40-800 1600-40-800 ZM814 ZM818 1400-40-800 1800-40-800



ZM612 ZM616 1200-40-650 1600-40-650 ZM614 ZM618 1400-40-650 1800-40-650



<b>ZW612</b>	<b>ZW616</b>	<b>ZW812</b>	<b>ZW816</b>
650-40-1250	650-40-1650	800-40-1250	800-40-1650
<b>ZW614</b>	<b>ZW618</b>	<b>ZW814</b>	<b>ZW818</b>
650-40-1450	650-40-1850	800-40-1450	800-40-1850





IA3P06













800-432-740



IA1P06 1200-432-750

1200-432-1129

1200-432-1833

IA2P08 1600-432-740

1600-432-1129

IA2P09 1618-432-740

IA3P09 1618-432-1129

IA14M 1400-432-600



800-432-740



1200-432-740



IA3L06 1200-432-1129 1600-432-740







1618-432-740





402-432-1833





IA3902 402-432-1129

402-432-1129







402-432-777

1618-432-1129



801-432-2185













IA3104 801-432-1129





801-432-777

IA2902


402-432-777







IA6505


1000-432-2185



















1200-432-1833 1200-432-1833









275-120-140


2XRJ45 1XUSB 4X230V



















750-162-123 1150-162-123 S14 S18 950-162-123 1350-162-123

